



US00D532832S

(12) **United States Design Patent** (10) **Patent No.:** **US D532,832 S**
Van Ness (45) **Date of Patent:** **** Nov. 28, 2006**

(54) **THREE-DIMENSIONAL GAME BOARD BUILDING COMPONENT**

(75) Inventor: **Craig S. Van Ness**, Wilbraham, MA (US)

(73) Assignee: **Hasbro, Inc.**, Pawtucket, RI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/260,198**

(22) Filed: **May 22, 2006**

5,057,049 A	10/1991	Kaczperski	446/128
5,061,218 A	10/1991	Garage et al.	446/102
5,108,109 A	4/1992	Leban	273/242
5,333,878 A	8/1994	Calhoun	273/283
D370,034 S	5/1996	Kipfer	D21/51
D387,431 S	12/1997	Tremblay	D25/113
5,871,212 A	2/1999	Lee	273/283
5,988,640 A	11/1999	Wheeler	273/241
6,050,044 A	4/2000	McIntosh	52/591.1
6,352,262 B1	3/2002	Looney	273/290
6,431,547 B1	8/2002	Arkoosh et al.	273/275
6,511,073 B1	1/2003	Simonds	273/299
D489,162 S	5/2004	Dings-Plooiij	D1/121
6,866,266 B1	3/2005	Thorne	273/271
2003/0127800 A1	7/2003	Kenny	273/292

Related U.S. Application Data

(62) Division of application No. 29/212,021, filed on Aug. 25, 2004.

(51) **LOC (8) Cl.** **21-01**

(52) **U.S. Cl.** **D21/386**

(58) **Field of Classification Search** D11/95;
D21/334, 336-337, 385-390, 478-480; 273/236-285,
273/288-291, 292-299, 148 R

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,165,688 A	12/1915	Maris	
1,689,107 A	10/1928	Bradley	
2,635,355 A	4/1953	Thompson et al.	35/31
3,414,986 A	12/1968	Stassen	35/31
3,487,579 A	1/1970	Brettingen	46/25
3,618,279 A	11/1971	Sease	52/227
3,877,170 A	4/1975	Bakker	46/23
3,917,272 A	11/1975	Aldea	273/131
4,025,076 A	5/1977	Lipps	273/137 R
4,057,253 A	11/1977	Csoka	273/131 BA
4,093,236 A	6/1978	Hoffa	273/255
D263,483 S	3/1982	Chen	D21/51
4,357,018 A	11/1982	Calvert	273/261
4,534,567 A	8/1985	Ferris et al.	273/255
4,569,527 A	2/1986	Rosenwinkel et al.	273/251
4,580,787 A	4/1986	Baker	273/261
4,696,476 A	9/1987	Eplett	273/241
4,828,268 A	5/1989	Somerville	273/283
4,955,615 A	9/1990	Eck	273/241

OTHER PUBLICATIONS

U.S. Appl. No. 10/925,513 filed Aug. 25, 2004, and listing Craig S. Van Ness as inventor (27087/40204) (23 pages).

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Marshall, Gerstein & Borun LLP

(57) **CLAIM**

The ornamental design for a three-dimensional game board building component, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a three-dimensional game board building component illustrating my new design; FIG. 2 is a top view of the three-dimensional game board building component of FIG. 1; FIG. 3 is a bottom view of the three-dimensional game board building component of FIG. 1; FIG. 4 is a front view of the three-dimensional game board building component of FIG. 1; FIG. 5 is a rear view of the three-dimensional game board building component of FIG. 1; FIG. 6 is a right view of the three-dimensional game board building component of FIG. 1; and, FIG. 7 is a left view of the three-dimensional game board building component of FIG. 1.

1 Claim, 1 Drawing Sheet




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6



FIG. 7



US00D536390S

(12) **United States Design Patent**
Van Ness

(10) **Patent No.:** **US D536,390 S**
(45) **Date of Patent:** **** Feb. 6, 2007**

(54) **THREE-DIMENSIONAL GAME BOARD BUILDING COMPONENT**

(75) Inventor: **Craig S. Van Ness**, Wilbraham, MA (US)

(73) Assignee: **Hasbro, Inc.**, Pawtucket, RI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/212,021**

(22) Filed: **Aug. 25, 2004**

(51) **LOC (8) Cl.** **21-01**

(52) **U.S. Cl.** **D21/386**

(58) **Field of Classification Search** D11/95;
D21/334, 336-337, 385-390, 478-480; 273/236-285,
273/288-291, 292-299, 148 R
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,165,688 A	12/1915	Maris	
1,689,107 A	10/1928	Bradley	
2,635,355 A	4/1953	Thompson et al.	35/31
3,414,986 A	12/1968	Stassen	35/31
3,487,579 A	1/1970	Brettingen	46/25
3,618,279 A	11/1971	Sease	52/227
3,877,170 A *	4/1975	Bakker	446/124
3,917,272 A *	11/1975	Aldea	273/260
4,025,076 A *	5/1977	Lipps	273/294
4,057,253 A	11/1977	Csoka	
4,093,236 A	6/1978	Hoffa	
D263,483 S *	3/1982	Chen	D21/386
4,357,018 A *	11/1982	Calvert	273/261
4,534,567 A	8/1985	Ferris et al.	
4,569,527 A	2/1986	Rosenwinkel et al.	
4,580,787 A *	4/1986	Baker	273/261
4,696,476 A	9/1987	Eplett	
4,828,268 A	5/1989	Somerville	
4,955,615 A	9/1990	Eck	
5,057,049 A	10/1991	Kaczperski	446/128
5,061,218 A	10/1991	Garage et al.	446/102
5,108,109 A	4/1992	Leban	
5,333,878 A	8/1994	Calhoun	

D370,034 S *	5/1996	Kipfer	D21/386
D387,431 S	12/1997	Tremblay	D25/113
5,871,212 A	2/1999	Lee	
5,988,640 A	11/1999	Wheeler	
6,050,044 A	4/2000	McIntosh	52/591.1
6,352,262 B1	3/2002	Looney	
6,431,547 B1	8/2002	Arkoosh et al.	
6,511,073 B2 *	1/2003	Simonds	273/299
D489,162 S *	5/2004	Dings-Plooij	D1/121
6,866,266 B1 *	3/2005	Thorne	273/271
2003/0127800 A1 *	7/2003	Kenney	273/292

OTHER PUBLICATIONS

U.S. Appl. No. 10/925,513, filed Aug. 25, 2004, and listing Craig S. Van Ness as inventor (23 pages).

* cited by examiner

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Marshall Gerstein & Borun LLP

(57) **CLAIM**

The ornamental design for a three-dimensional game board building component, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a building component for a three-dimensional game board illustrating my new design; FIG. 2 is a top view of the building component of FIG. 1; FIG. 3 is a bottom view of the building component of FIG. 1;

FIG. 4 is a front view of the building component of FIG. 1; FIG. 5 is a rear view of the building component of FIG. 1; FIG. 6 is a right view of the building component of FIG. 1; FIG. 7 is a left view of the building component of FIG. 1; FIG. 8 is a top perspective view of a second embodiment of a building component for a three-dimensional game board illustrating my new design;

FIG. 9 is a top view of the building component of FIG. 8; FIG. 10 is a bottom view of the building component of FIG. 8;

FIG. 11 is a front view of the building component of FIG. 8; FIG. 12 is a rear view of the building component of FIG. 8; FIG. 13 is a right view of the building component of FIG. 8;




FIG. 14 is a left view of the building component of FIG. 8; FIG. 15 is a top perspective view of a third embodiment of a building component for a three-dimensional game board illustrating my new design; FIG. 16 is a top view of the building component of FIG. 15; FIG. 17 is a bottom view of the building component of FIG. 15; FIG. 18 is a front view of the building component of FIG. 15; FIG. 19 is a rear view of the building component of FIG. 15; FIG. 20 is a right view of the building component of FIG. 15; FIG. 21 is a left view of the building component of FIG. 15; FIG. 22 is a top perspective view of a fourth embodiment of a building component for a three-dimensional game board illustrating my new design; FIG. 23 is a top view of the building component of FIG. 22; FIG. 24 is a bottom view of the building component of FIG. 22; FIG. 25 is a front view of the building component of FIG. 22; FIG. 26 is a rear view of the building component of FIG. 22; FIG. 27 is a right view of the building component of FIG. 22; FIG. 28 is a left view of the building component of FIG. 22; FIG. 29 is a top perspective view of a fifth embodiment of a building component for a three-dimensional game board illustrating my new design; FIG. 30 is a top view of the building component of FIG. 29; FIG. 31 is a bottom view of the building component of FIG. 29; FIG. 32 is a front view of the building component of FIG. 29; FIG. 33 is a rear view of the building component of FIG. 29; FIG. 34 is a right view of the building component of FIG. 29; FIG. 35 is a left view of the building component of FIG. 29; FIG. 36 is a top perspective view of a sixth embodiment of a building component for a three-dimensional game board illustrating my new design; FIG. 37 is a top view of the building component of FIG. 36; FIG. 38 is a bottom view of the building component of FIG. 36; FIG. 39 is a front view of the building component of FIG. 36; FIG. 40 is a rear view of the building component of FIG. 36; FIG. 41 is a right view of the building component of FIG. 36; FIG. 42 is a left view of the building component of FIG. 36; FIG. 43 is a top perspective view of a seventh embodiment of a building component for a three-dimensional game board illustrating my new design; FIG. 44 is a top view of the building component of FIG. 43; FIG. 45 is a bottom view of the building component of FIG. 43; FIG. 46 is a front view of the building component of FIG. 43; FIG. 47 is a rear view of the building component of FIG. 43; FIG. 48 is a right view of the building component of FIG. 43; FIG. 49 is a left view of the building component of FIG. 43; FIG. 50 is a top perspective view of an eighth embodiment of a building component for a three-dimensional game board illustrating my new design;

FIG. 51 is a top view of the building component of FIG. 50; FIG. 52 is a bottom view of the building component of FIG. 50; FIG. 53 is a front view of the building component of FIG. 50; FIG. 54 is a rear view of the building component of FIG. 50; FIG. 55 is a right view of the building component of FIG. 50; FIG. 56 is a left view of the building component of FIG. 50; FIG. 57 is a top perspective view of a ninth embodiment of a building component for a three-dimensional game board illustrating my new design; FIG. 58 is a top view of the building component of FIG. 57; FIG. 59 is a bottom view of the building component of FIG. 57; FIG. 60 is a front view of the building component of FIG. 57; FIG. 61 is a rear view of the building component of FIG. 57; FIG. 62 is a right view of the building component of FIG. 57; FIG. 63 is a left view of the building component of FIG. 57; FIG. 64 is a top perspective view of a tenth embodiment of a building component for a three-dimensional game board illustrating my new design; FIG. 65 is a top view of the building component of FIG. 64; FIG. 66 is a bottom view of the building component of FIG. 64; FIG. 67 is a front view of the building component of FIG. 64; FIG. 68 is a rear view of the building component of FIG. 64; FIG. 69 is a right view of the building component of FIG. 64; FIG. 70 is a left view of the building component of FIG. 64; FIG. 71 is a top perspective view of an eleventh embodiment of a building component for a three-dimensional game board illustrating my new design; FIG. 72 is a top view of the building component of FIG. 71; FIG. 73 is a bottom view of the building component of FIG. 71; FIG. 74 is a front view of the building component of FIG. 71; FIG. 75 is a rear view of the building component of FIG. 71; FIG. 76 is a right view of the building component of FIG. 71; FIG. 77 is a left view of the building component of FIG. 71; FIG. 78 is a top perspective view of a twelfth embodiment of a building component for a three-dimensional game board illustrating my new design; FIG. 79 is a top view of the building component of FIG. 78; FIG. 80 is a bottom view of the building component of FIG. 78; FIG. 81 is a front view of the building component of FIG. 78; FIG. 82 is a rear view of the building component of FIG. 78; FIG. 83 is a right view of the building component of FIG. 78; and, FIG. 84 is a left view of the building component of FIG. 78.




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18



FIG. 19



FIG. 20



FIG. 21




FIG. 22



FIG. 25




FIG. 23



FIG. 26




FIG. 27




FIG. 24




FIG. 28




FIG. 29




FIG. 30




FIG. 31



FIG. 32



FIG. 33



FIG. 34



FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39



FIG. 40



FIG. 41



FIG. 42




FIG. 43




FIG. 44




FIG. 45



FIG. 46



FIG. 47



FIG. 48



FIG. 49




FIG. 50



FIG. 53




FIG. 51



FIG. 54




FIG. 55




FIG. 52




FIG. 56




FIG. 57




FIG. 58




FIG. 59



FIG. 60



FIG. 61



FIG. 62



FIG. 63




FIG. 64




FIG. 65




FIG. 66



FIG. 67



FIG. 68



FIG. 69



FIG. 70




FIG. 71




FIG. 72




FIG. 73



FIG. 74



FIG. 75



FIG. 76




FIG. 77




FIG. 78




FIG. 79




FIG. 80




FIG. 81




FIG. 82




FIG. 83




FIG. 84



US00D536391S

(12) **United States Design Patent**
Van Ness

(10) **Patent No.:** **US D536,391 S**

(45) **Date of Patent:** **** Feb. 6, 2007**

(54) **SET OF THREE-DIMENSIONAL GAME BOARD BUILDING COMPONENTS**

(75) Inventor: **Craig S. Van Ness**, Wilbraham, MA (US)

(73) Assignee: **Hasbro, Inc.**, Pawtucket, RI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/254,518**

(22) Filed: **Feb. 23, 2006**

Related U.S. Application Data

(63) Continuation of application No. 29/212,021, filed on Aug. 25, 2004.

(51) **LOC (8) Cl.** **21-01**

(52) **U.S. Cl.** **D21/386**

(58) **Field of Classification Search** D11/95; D21/334, 336-337, 385-390, 478-480; 273/236-285, 273/288-291, 292-299, 148 R
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,165,688 A	12/1915	Maris	
1,689,107 A	10/1928	Bradley	
2,635,355 A	4/1953	Thompson et al.	35/31
3,414,986 A	12/1968	Stassen	35/31
3,487,579 A	1/1970	Brettingen	46/25
3,618,279 A	11/1971	Sease	52/227
3,877,170 A	4/1975	Bakker	46/23
3,917,272 A	11/1975	Aldea	273/131
4,025,076 A	5/1977	Lipps	273/137 R
4,057,253 A	11/1977	Csoka	273/131 BA
4,093,236 A	6/1978	Hoffa	273/255
D263,483 S	3/1982	Chen	D21/51
4,357,018 A	11/1982	Calvert	273/261
4,534,567 A	8/1985	Ferris et al.	273/255
4,569,527 A	2/1986	Rosenwinkel et al.	273/251
4,580,787 A	4/1986	Baker	273/261
4,696,476 A	9/1987	Eplett	273/241
4,828,268 A	5/1989	Somerville	273/283

4,955,615 A	9/1990	Eck	273/241
5,057,049 A	10/1991	Kaczperski	446/128
5,061,218 A	10/1991	Garage et al.	446/102
5,108,109 A	4/1992	Leban	273/242
5,333,878 A	8/1994	Calhoun	273/283
D370,034 S	5/1996	Kipfer	D21/51
D387,431 S	12/1997	Tremblay	D25/113
5,871,212 A	2/1999	Lee	273/283
5,988,640 A	11/1999	Wheeler	273/241
6,050,044 A	4/2000	McIntosh	52/591.1
6,352,262 B1	3/2002	Looney	273/290
6,431,547 B1	8/2002	Arkoosh et al.	273/275
6,511,073 B2	1/2003	Simonds	273/299
D489,162 S	5/2004	Dings-Plooj	D1/121
6,866,266 B1	3/2005	Thorne	273/271
2003/0127800 A1	7/2003	Kenny	273/292

OTHER PUBLICATIONS

U.S. Appl. No. 10/925,513 filed Aug. 25, 2004, and listing Craig S. Van Ness as inventor (27087/40204) (23 pages).

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Marshall, Gerstein & Borun LLP

(57) **CLAIM**

The ornamental design for a set of three-dimensional game board building components, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a building component of a set of three-dimensional game board building components illustrating my new design;

FIG. 2 is a top view of the building component of FIG. 1; FIG. 3 is a bottom view of the building component of FIG. 1;

FIG. 4 is a front view of the building component of FIG. 1; FIG. 5 is a rear view of the building component of FIG. 1; FIG. 6 is a right view of the building component of FIG. 1; FIG. 7 is a left view of the building component of FIG. 1; FIG. 8 is a top perspective view of another building component of a set of three-dimensional game board building components illustrating my new design;

FIG. 9 is a top view of the building component of FIG. 8;




FIG. 10 is a bottom view of the building component of FIG. 8;

FIG. 11 is a front view of the building component of FIG. 8;

FIG. 12 is a rear view of the building component of FIG. 8;

FIG. 13 is a right view of the building component of FIG. 8;

FIG. 14 is a left view of the building component of FIG. 8;

FIG. 15 is top perspective view of a further building component of a set of three-dimensional game board building components illustrating my new design;

FIG. 16 is a top view of the building component of FIG. 15;

FIG. 17 is a bottom view of the building component of FIG. 15;

FIG. 18 is a front view of the building component of FIG. 15;

FIG. 19 is a rear view of the building component of FIG. 15;

FIG. 20 is a right view of the building component of FIG. 15;

FIG. 21 is a left view of the building component of FIG. 15;

FIG. 22 is a top perspective view of an additional building component of a set of three-dimensional game board building components illustrating my new design;

FIG. 23 is a top view of the building component of FIG. 22;

FIG. 24 is a bottom view of the building component of FIG. 22;

FIG. 25 is a front view of the building component of FIG. 22;

FIG. 26 is a rear view of the building component of FIG. 22;

FIG. 27 is a right view of the building component of FIG. 22;

FIG. 28 is a left view of the building component of FIG. 22;

FIG. 29 is a top perspective view of yet another building component of a set of three-dimensional game board building components illustrating my new design;

FIG. 30 is a top view of the building component of FIG. 29;

FIG. 31 is a bottom view of the building component of FIG. 29;

FIG. 32 is a front view of the building component of FIG. 29;

FIG. 33 is a rear view of the building component of FIG. 29;

FIG. 34 is a right view of the building component of FIG. 29;

FIG. 35 is a left view of the building component of FIG. 29;

FIG. 36 is a top perspective view of a still further building component of a set of three-dimensional game board building components illustrating my new design;

FIG. 37 is a top view of the building component of FIG. 36;

FIG. 38 is a bottom view of the building component of FIG. 36;

FIG. 39 is a front view of the building component of FIG. 36;

FIG. 40 is a rear view of the building component of FIG. 36;

FIG. 41 is a right view of the building component of FIG. 36;

FIG. 42 is a left view of the building component of FIG. 36;

FIG. 43 is a top perspective view of an alternative embodiment of the building component of FIGS. 1-7;

FIG. 44 is a top view of the building component of FIG. 43;

FIG. 45 is a bottom view of the building component of FIG. 43;

FIG. 46 is a front view of the building component of FIG. 43;

FIG. 47 is a rear view of the building component of FIG. 43;

FIG. 48 is a right view of the building component of FIG. 43;

FIG. 49 is a left view of the building component of FIG. 43;

FIG. 50 is a top perspective view of an alternative embodiment of the building component of FIGS. 8-14;

FIG. 51 is a top view of the building component of FIG. 50;

FIG. 52 is a bottom view of the building component of FIG. 50;

FIG. 53 is a front view of the building component of FIG. 50;

FIG. 54 is a rear view of the building component of FIG. 50;

FIG. 55 is a right view of the building component of FIG. 50;

FIG. 56 is a left view of the building component of FIG. 50;

FIG. 57 is a top perspective view of an alternative embodiment of the building component of FIGS. 15-21;

FIG. 58 is a top view of the building component of FIG. 57;

FIG. 59 is a bottom view of the building component of FIG. 57;

FIG. 60 is a front view of the building component of FIG. 57;

FIG. 61 is a rear view of the building component of FIG. 57;

FIG. 62 is a right view of the building component of FIG. 57;

FIG. 63 is a left view of the building component of FIG. 57;

FIG. 64 is a top perspective view of an alternative embodiment of the building component of FIGS. 22-28;

FIG. 65 is a top view of the building component of FIG. 64;

FIG. 66 is a bottom view of the building component of FIG. 64;

FIG. 67 is a front view of the building component of FIG. 64;

FIG. 68 is a rear view of the building component of FIG. 64;

FIG. 69 is a right view of the building component of FIG. 64;

FIG. 70 is a left view of the building component of FIG. 64;

FIG. 71 is a top perspective view of an alternative embodiment of the building component of FIGS. 29-35;

FIG. 72 is a top view of the building component of FIG. 71;

FIG. 73 is a bottom view of the building component of FIG. 71;

FIG. 74 is a front view of the building component of FIG. 71;

FIG. 75 is a rear view of the building component of FIG. 71;

FIG. 76 is a right view of the building component of FIG. 71;

FIG. 77 is a left view of the building component of FIG. 71;

FIG. 78 is a top perspective view of another alternative embodiment of the building component of FIGS. 1-7;

FIG. 79 is a top view of the building component of FIG. 78;

FIG. 80 is a bottom view of the building component of FIG. 78;

FIG. 81 is a front view of the building component of FIG. 78;

FIG. 82 is a rear view of the building component of FIG. 78;

FIG. 83 is a right view of the building component of FIG. 78;

FIG. 84 is a left view of the building component of FIG. 78;

FIG. 85 is a top perspective view of another alternative embodiment of the building component of FIGS. 8-14;

FIG. 86 is a top view of the building component of FIG. 85;

FIG. 87 is a bottom view of the building component of FIG. 85;

FIG. 88 is a front view of the building component of FIG. 85;

FIG. 89 is a rear view of the building component of FIG. 85;

FIG. 90 is a right view of the building component of FIG. 85;

FIG. 91 is a left view of the building component of FIG. 85;

FIG. 92 is a top perspective view of another alternative embodiment of the building component of FIGS. 15-21;

FIG. 93 is a top view of the building component of FIG. 92;

FIG. 94 is a bottom view of the building component of FIG. 92;

FIG. 95 is a front view of the building component of FIG. 92;

FIG. 96 is a rear view of the building component of FIG. 92;

FIG. 97 is a right view of the building component of FIG. 92;

FIG. 98 is a left view of the building component of FIG. 92;
FIG. 99 is a top perspective view of another alternative
embodiment of the building component of FIGS. 22-28;
FIG. 100 is a top view of the building component of FIG. 99;
FIG. 101 is a bottom view of the building component of FIG.
99;
FIG. 102 is a front view of the building component of FIG.
99;
FIG. 103 is a rear view of the building component of FIG.
99;
FIG. 104 is a right view of the building component of FIG.
99;
FIG. 105 is a left view of the building component of FIG. 99;
FIG. 106 is a top perspective view of another alternative
embodiment of the building component of FIGS. 29-35;

FIG. 107 is a top view of the building component of FIG.
106;
FIG. 108 is a bottom view of the building component of FIG.
106;
FIG. 109 is a front view of the building component of FIG.
106;
FIG. 110 is a rear view of the building component of FIG.
106;
FIG. 111 is a right view of the building component of FIG.
106; and,
FIG. 112 is a left view of the building component of FIG.
106.

1 Claim, 40 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18



FIG. 19



FIG. 20



FIG. 21




FIG. 22




FIG. 23




FIG. 24



FIG. 25



FIG. 26



FIG. 27




FIG. 28




FIG. 29



FIG. 32




FIG. 30



FIG. 33



FIG. 34




FIG. 31




FIG. 35




FIG. 36




FIG. 37




FIG. 38



FIG. 39



FIG. 40




FIG. 41



FIG. 42




FIG. 43




FIG. 44




FIG. 45



FIG. 46



FIG. 47




FIG. 48



FIG. 49




FIG. 50




FIG. 51




FIG. 52



FIG. 53



FIG. 54



FIG. 55



FIG. 56




FIG. 57




FIG. 58




FIG. 59



FIG. 60



FIG. 61



FIG. 62



FIG. 63




FIG. 64




FIG. 65




FIG. 66



FIG. 67



FIG. 68



FIG. 69




FIG. 70




FIG. 71




FIG. 72




FIG. 73



FIG. 74



FIG. 75




FIG. 76



FIG. 77




FIG. 78




FIG. 79




FIG. 80



FIG. 81



FIG. 82




FIG. 83



FIG. 84




FIG. 85




FIG. 86




FIG. 87



FIG. 88



FIG. 89



FIG. 90



FIG. 91




FIG. 92




FIG. 93




FIG. 94




FIG. 95



FIG. 96



FIG. 97



FIG. 98




FIG. 99




FIG. 100




FIG. 101



FIG. 102



FIG. 103



FIG. 104



FIG. 105




FIG. 106



FIG. 109




FIG. 107




FIG. 110




FIG. 108



FIG. 111



FIG. 112



US00D536392S

(12) **United States Design Patent**
Van Ness

(10) **Patent No.:** **US D536,392 S**
(45) **Date of Patent:** **** Feb. 6, 2007**

(54) **THREE-DIMENSIONAL GAME BOARD BUILDING COMPONENT**

- (75) Inventor: **Craig S. Van Ness**, Wilbraham, MA (US)
- (73) Assignee: **Hasbro, Inc.**, Pawtucket, RI (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/260,199**
- (22) Filed: **May 22, 2006**

Related U.S. Application Data

- (62) Division of application No. 29/212,021, filed on Aug. 25, 2004.
- (51) **LOC (8) Cl.** **21-01**
- (52) **U.S. Cl.** **D21/386**
- (58) **Field of Classification Search** D11/95; D21/334, 336-337, 385-390, 478-480; 273/236-285, 273/288-291, 292-299, 148 R
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,165,688 A 12/1915 Maris

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 10/925,513, filed Aug. 25, 2004, and listing Craig S. Van Ness as inventor (27087/40204) (23 pages).

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Marshall, Gerstein & Borun LLP

(57) **CLAIM**


The ornamental design for a three-dimensional game board building component, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a three-dimensional game board building component illustrating my new design;

FIG. 2 is a top view of the three-dimensional game board building component of FIG. 1;
 FIG. 3 is a bottom view of the three-dimensional game board building component of FIG. 1;
 FIG. 4 is a front view of the three-dimensional game board building component of FIG. 1;
 FIG. 5 is a rear view of the three-dimensional game board building component of FIG. 1;
 FIG. 6 is a right view of the three-dimensional game board building component of FIG. 1;
 FIG. 7 is a left view of the three-dimensional game board building component of FIG. 1;
 FIG. 8 is a top perspective view of a second embodiment of a three-dimensional game board building component illustrating my new design;
 FIG. 9 is a top view of the three-dimensional game board building component of FIG. 8;
 FIG. 10 is a bottom view of the three-dimensional game board building component of FIG. 8;
 FIG. 11 is a front view of the three-dimensional game board building component of FIG. 8;
 FIG. 12 is a rear view of the three-dimensional game board building component of FIG. 8;
 FIG. 13 is a right view of the three-dimensional game board building component of FIG. 8;
 FIG. 14 is a left view of the three-dimensional game board building component of FIG. 8;
 FIG. 15 is top perspective view of a third embodiment of a three-dimensional game board building component illustrating my new design;
 FIG. 16 is a top view of the three-dimensional game board building component of FIG. 15;
 FIG. 17 is a bottom view of the three-dimensional game board building component of FIG. 15;
 FIG. 18 is a front view of the three-dimensional game board building component of FIG. 15;
 FIG. 19 is a rear view of the three-dimensional game board building component of FIG. 15;
 FIG. 20 is a right view of the three-dimensional game board building component of FIG. 15; and,
 FIG. 21 is a left view of the three-dimensional game board building component of FIG. 15.

1 Claim, 12 Drawing Sheets



US D536,392 S

Page 2

U.S. PATENT DOCUMENTS		
1,689,107 A	10/1928	Bradley
2,635,355 A	4/1953	Thompson et al. 35/31
3,414,986 A	12/1968	Stassen 35/31
3,487,579 A	1/1970	Brettingen 46/25
3,618,279 A	11/1971	Sease 52/227
3,877,170 A	4/1975	Bakker 46/23
3,917,272 A	11/1975	Aldea 273/131
4,025,076 A	5/1977	Lipps 273/137 R
4,057,253 A	11/1977	Csoka 273/131 BA
4,093,236 A	6/1978	Hoffa 273/255
D263,483 S	3/1982	Chen D21/51
4,357,018 A	11/1982	Calvert 273/261
4,534,567 A	8/1985	Ferris et al. 273/255
4,569,527 A	2/1986	Rosenwickel et al. 273/251
4,580,787 A	4/1986	Baker 273/261
4,696,476 A	9/1987	Eplett 273/241
4,828,268 A	5/1989	Somerville 273/283
4,955,615 A	9/1990	Eck 273/241
5,057,049 A	10/1991	Kaczperski 446/128
5,061,218 A	10/1991	Garage et al. 446/102
5,108,109 A	4/1992	Leban 273/242
5,333,878 A	8/1994	Calhoun 273/283
D370,034 S	5/1996	Kipfer D21/51
D387,431 S	12/1997	Tremblay D25/113
5,871,212 A	2/1999	Lee 273/283
5,988,640 A	11/1999	Wheeler 273/241
6,050,044 A	4/2000	McIntosh 52/591.1
6,352,262 B1	3/2002	Looney 273/290
6,431,547 B1	8/2002	Arkoosh et al. 273/275
6,511,073 B1	1/2003	Simonds 273/299
D489,162 S	5/2004	Dings-Plooj D1/121
6,866,266 B1	3/2005	Thorne 273/271
2003/0127800 A1	7/2003	Kenny 273/292




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18



FIG. 19



FIG. 20



FIG. 21